

Message

From: Moore, Brian [briamoore@pa.gov]
Sent: 3/27/2023 11:58:38 AM
To: Macy, Noah (N) [nmacy@trinseo.com]; Chase, Kelley [Chase.Kelley@epa.gov]
CC: SECDELBYCC@uscg.mil; Wisniewski, Patti-Kay (she/her/hers) [Wisniewski.Patti-Kay@epa.gov]; Wagner, Christine [Wagner.Christine@epa.gov]
Subject: RE: [External] RE: Eurofins Lab Inquiry - SAMPLE LOCATIONS

Noah – have you had a chance to reach out to Eurofins this morning to get an eta on sample completion?

If we need to move the call again I'd like to be able to provide a time estimate to the participants of when we think we'll have the results.

Brian

Brian L. Moore | Director
Department of Environmental Protection | Emergency Response
Rachel Carson State Office Building
400 Market St. | Hbg PA 17101
Phone: 717.787.5715 | Fax 717.772.3314
The 24-hour toll free Emergency Response number is: 1-800-541-2050

From: Macy, Noah (N) <nmacy@trinseo.com>
Sent: Monday, March 27, 2023 7:43 AM
To: Chase, Kelley <Chase.Kelley@epa.gov>
Cc: Moore, Brian <briamoore@pa.gov>; SECDELBYCC@uscg.mil; Wisniewski, Patti-Kay (she/her/hers) <Wisniewski.Patti-Kay@epa.gov>; Wagner, Christine <Wagner.Christine@epa.gov>
Subject: [External] RE: Eurofins Lab Inquiry - SAMPLE LOCATIONS

ATTENTION: This email message is from an external sender. Do not open links or attachments from unknown senders. To report suspicious email, use the [Report Phishing button in Outlook](#).

Very helpful Kelley, thank you!

From: Chase, Kelley <Chase.Kelley@epa.gov>
Sent: Monday, March 27, 2023 7:42 AM
To: Macy, Noah (N) <nmacy@trinseo.com>
Cc: Moore, Brian <briamoore@pa.gov>; SECDELBYCC@uscg.mil; Wisniewski, Patti-Kay (she/her/hers) <Wisniewski.Patti-Kay@epa.gov>; Wagner, Christine <Wagner.Christine@epa.gov>
Subject: RE: Eurofins Lab Inquiry - SAMPLE LOCATIONS

This email originated from outside of the organization.
Do not click links or open attachments unless you recognize the sender and know the content is safe.

Noah – All samples collected in Delaware River. Below are locations for each sample ID. I will provide actual coordinates later this morning. - Kelley

BPR-01 – Upstream of Baxter plant (9001 State Road)

BPR-02 – Downstream of Baxter plant

BPR-03 – Downstream of Delran location (Rancocas Creek is closest tributary)

BPR-04 – Upstream of Delran location

BPR-05 – Downstream of AQUA Bristol Plant

BPR-06 – Upstream of AQUA Bristol Plant

BPR-07 – Southern tip of Burlington Island

BPR-08 – North of Tacony-Palmyra Bridge, on NJ side of river.

From: Chase, Kelley

Sent: Monday, March 27, 2023 7:33 AM

To: Macy, Noah (N) <nmacy@trinseo.com>

Subject: RE: Eurofins Lab Inquiry

Good early morning - We have the coordinates, but I will need to get them from my contractor later this am. I will send you a “key” that ties the sample locations to the sample #s.

I think that will suffice for purposes of this mornings call.

From: Macy, Noah (N) <nmacy@trinseo.com>

Sent: Monday, March 27, 2023 7:14 AM

To: Chase, Kelley <Chase.Kelley@epa.gov>

Subject: RE: Eurofins Lab Inquiry

Good morning Kelley, I haven't heard back from Eurofins yet about sample results on yesterday's sample, but I wanted to send a quick message to see if you happen to have geo coordinates for where each sample was taken yesterday? I didn't know if you had concluded in otter creek or if they were all in the Delaware.

If you have a chance, could you please give a rundown of the sample locations or geotag them if that is more convenient?

Sample#		time	Location
BPR-01	`-20230326	1510	
BPR-02	`-20230326	1535	
BPR-03	`-20230326	1550	
BPR-04	`-20230326	1610	
BPR-05	`-20230326	1650	
BPR-06	`-20230326	1705	
BPR-07	`-20230326	1720	
BPR-08	`-20230326	1750	

Thank you very much!

Noah

From: Chase, Kelley <Chase.Kelley@epa.gov>
Sent: Sunday, March 26, 2023 5:08 PM
To: Macy, Noah (N) <nmacy@trinseo.com>
Cc: tmduerr@aquaamerica.com
Subject: Re: Eurofins Lab Inquiry

This email originated from outside of the organization.
Do not click links or open attachments unless you recognize the sender and know the content is safe.

Noah -

Glad you are dropped the PWD samples.

We will send photo of COC to Eurofins in advance.

I anticipate 8 samples for Eurofins and 8 dups for Aqua.

When you have a chance we still need address of where to drop the samples for analysis by Aqua's lab.

Thanks - Kelley

Sent from my iPhone

On Mar 26, 2023, at 4:56 PM, Macy, Noah (N) <nmacy@trinseo.com> wrote:

Hi Kelley, I am dropping of PWDs samples at eurofins now so they can get started. When you have the samples ready can you please email a photo or scan of the CoC for eurofins to start processing the testing order? I will need to discuss how we get our name and address on the billing for the samples. Do you know how many will be coming from epa?
Thank you!
Noah

Get Outlook for iOS [gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]

From: Chase, Kelley <Chase.Kelley@epa.gov>
Sent: Sunday, March 26, 2023 4:11:41 PM
To: Macy, Noah (N) <nmacy@trinseo.com>
Cc: tmduerr@aquaamerica.com <tmduerr@aquaamerica.com>
Subject: Re: Eurofins Lab Inquiry

This email originated from outside of the organization.
Do not click links or open attachments unless you recognize the sender and know the content is safe.

Noah -

We are still out collecting samples. We are collecting duplicates.

EPA will be delivering the samples we collect to Eurofins in Edison NJ.

We will deliver the duplicates to Aqua for analysis at their lab. Please confirm their address and let us know point of contact.

Also - please indicate whether you or Aqua are intending to deliver the samples that the water companies collect from their intakes to Eurofins or if you want EPA to do that? It would be faster for the water company to do that and not wait for us. But we are certainly willing to transport the samples if needed.

Please email and or call me to confirm and with questions.

Thanks - Kelley
Cell 267-273-8859

Sent from my iPhone

On Mar 26, 2023, at 12:38 PM, Macy, Noah (N) <nmacy@trinseo.com> wrote:

Hi Kelley,

I talked to Don and Jules at Eurofins and they suggested we fill out this COC form with the samples from today. They will be there constantly because they are sampling for another customer. I want to make sure we can get two identical samples from each location (or at least a few locations) so that one sample can go to eurofins and the other to AquaPA's lab. If the people collecting samples and filling out the COC can take a picture of it and send it to Jules Thiessen (email: Jules.Thiessen@et.eurofinsus.com) it will help expedite the analysis when the samples arrive.

I wanted to get a sample of the Baxter intake water to take up to Eurofins as well, but I am not sure how we can arrange that. I am copying Todd Duerr, who spoke with me on last night's call. I missed Linda's contact information from PWD so perhaps Todd can help us coordinate with her?

If it makes sense, I can go get a sample from PWD at the Baxter location and run the samples up to Edison now and one of your people can take the rest of the water samples up later?

Thanks very much for coordinating the river sampling.

Noah

<image001.png>

Noah Macy
Lead Chemist
Altuglas, LLC

T: +1 610-878-6976 | M: +1 267-535-1599
E: nmacy@trinseo.com

900 1st Avenue
King of Prussia, PA 19406
USA

Connect with Us

www.trinseo.com [gcc02.safelinks.protection.outlook.com]

[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]

[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]

<image002.png> [gcc02.safelinks.protection.outlook.com]

[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com]
<image003.png> [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
<image004.png> [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
<image005.png> [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
<image006.png> [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
<image007.png> [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com]

Get Outlook for iOS [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]

From: Donald Wyand <Donald.Wyand@et.eurofinsus.com>
Sent: Sunday, March 26, 2023 12:03:33 PM
To: Macy, Noah (N) <nmacy@trinseo.com>
Subject: RE: Eurofins Lab Inquiry

This email originated from outside of the organization.
Do not click links or open attachments unless you recognize the sender and know the content is safe.

Best Regards,

Don

Donald E. Wyand
Executive Director of Sales
National Program Director

Eurofins Lancaster Laboratories Environment Testing, LLC
2425 New Holland Pike
Lancaster, PA 17601

Lab Direct: 717-556-7248
Mobile: 717-682-8970

Donald.Wyand@ET.EurofinsUS.com
www.EurofinsUS.com/Env [secure-web.cisco.com]
[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com]

Follow Us! **Facebook** [secure-web.cisco.com] [gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com]
[gcc02.safelinks.protection.outlook.com] | **LinkedIn** [secure-web.cisco.com]

[gcc02.safelinks.protection.outlook.com] [gcc02.safelinks.protection.outlook.com]

[gcc02.safelinks.protection.outlook.com]

<Blank TALs COC.xls>